

PRODUCT DATA SHEET

Technical Grade 3-36® Multi-Purpose Precision Lubricant, 11 Wt Oz

Part Number: 03003

Product Description Plastic safe lubricant, penetrant and corrosion inhibitor

that helps prevent electrical malfunctions caused by water penetration, humidity or condensation. Cleans, lubricates,

penetrates and loosens corrosion.

Applications Electrical connectors, relays, circuit breakers,

transformers, switchgear, motors, hinges, generators, controls, instruments, communication assemblies, electronics, alarm systems, starters, hand tools, modern

plastics and insulators.

Unit Package Description 16 Ounce Aerosol

Brand CRC

Generic Description 1 Plastic Safe, Multi-Purpose Precision Lubricant

Net Fill 11 Wt Oz

UPC Code 078254030036

Unit Dimensions 7.75H x 2.63W x 2.63D in

Units Per Case 12

Case Dimensions 8.1H x 8.3W x 11.1D in

Cases Per Pallet 133
Case Weight 12 lbs

I 2 of 5 Code 30078254030037 Appearance Amber Liquid

Base Type Petroleum Distillate

Flash point (F) 200°F

Flammability Class - CPSC Flammable

Spec Gravity Concentrate 0.82
Plastic Safe Yes

Film Type Thin, Non-Drying
Film Thickness 0.025 to 0.075 Mils

Evaporation Rate Slow

Last revised: 3/1/2016

Page 1 of 2



Multi-Purpose

de Precision

Precision Lubricant

ricates & Protects All Metals

Lubricante Multi Propósito

laces Maisture & Stops Corrosion (Ca y Protege Todos los Metales

lia la Humedad y Detiene la Co

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified

and adheres to the strictest guidelines for quality in all facets of research, development and production.



PRODUCT DATA SHEET



Propellant Carbon Dioxide

NSF Category Code H2

NSF Number 017424

Military Specification Not Determined

Number

Aerosol Flammability Level III

DOT Proper Shipping Name Aerosols, Flammable, Limited Quantity

51,300 Volts

Max 250°F

VOC % (Federal) 0

VOC g/L (Federal) 0

VOC Lbs./Gal. (Federal) 0

VOC Category Multi-Purpose Lubricant

Removal (How To) Remove with Petroleum Distillates.

CRC

Technical
Grade 3-36°
Multi-Purpose
Precision Lubricant
Lubricante Multi Propósito
de Precision

Lubricante A Pretects All Metals

Residente A Pretects All Metals

Residente

Residente A Pretects All Metals

Residente

Last revised: 3/1/2016

Page 2 of 2

